

LISTING OF CLAIMS

Claims 1-18 (Canceled).

19. (Cancelled).

20. (Previously Presented): A laminated window comprising a glass sheet and an intermediate film, wherein said film has a loss factor  $\tan \delta$  greater than 0.6 and a shear modulus  $G'$  smaller than  $2 \times 10^7 \text{ N/m}^2$  in a temperature range between 10 and 60°C and in a frequency range between 50 and 10,000 Hz, wherein said intermediate film is associated with at least one film of normal acoustic performance.

21. (Cancelled)

22. (Cancelled)

23. (Previously Presented): A laminated window comprising a glass sheet and an intermediate film, wherein said film has a loss factor  $\tan \delta$  greater than 0.6 and a shear modulus  $G'$  smaller than  $2 \times 10^7 \text{ N/m}^2$  in a temperature range between 10 and 60°C and in a frequency range between 50 and 10,000 Hz, further comprising a thermoplastic cement film, a polyester film interposed between the thermoplastic cement film and the intermediate film, and a polyester film juxtaposed on the other face of the intermediate film and provided on its free surface with an abrasion-resistant layer.

24. (Previously Presented): A laminated window comprising a glass sheet and an intermediate film, wherein said film has a loss factor  $\tan \delta$  greater than 0.6 and a shear

modulus  $G'$  smaller than  $2 \times 10^7 \text{ N/m}^2$  in a temperature range between 10 and 60°C and in a frequency range between 50 and 10,000 Hz, wherein the intermediate film comprises viscoelastic polymer made of acrylic polymer without plasticizer having a shear modulus  $G'$  between  $10^{4.5} \text{ Pa}$  at 60°C and  $10^{6.5} \text{ Pa}$  at 0°C as well as a loss factor  $\tan \delta$  between approximately 0.8 and 1 in a temperature range of 0 to 60°C.

25. (Cancelled)

26. (Cancelled)

27. (Cancelled)

28. (Cancelled)

29. (Cancelled)

30. (Cancelled).

31. (Previously Presented): A film designed to be used as an intermediate layer in a soundproofing laminated window, said film having a loss factor  $\tan \delta$  greater than 0.6 and a shear modulus  $G'$  smaller than  $2 \times 10^7 \text{ N/m}^2$  in a temperature range between 10 and 60°C and in a frequency range between 50 and 10,000 Hz.

32. (Previously Presented): The film of Claim 31, wherein said film is associated with at least one film of normal acoustic performance.

33. (Previously Presented): The film of Claim 32, wherein said film is a thermoplastic acrylic polymer film 0.05 to 1.0 mm thick, and wherein said film is joined to at least one glass sheet with interposition of a polyester film 0.01 to 0.1 mm thick and a thermoplastic cement film 0.3 to 0.8 mm thick.

34. (Previously Presented): The film of Claim 33, wherein the thermoplastic film comprises viscoelastic polymer made of acrylic polymer without plasticizer having a shear modulus  $G'$  between  $10^{4.5}$  Pa at 60°C and  $10^{6.5}$  Pa at 0°C, as well as a loss factor  $\tan \delta$  between approximately 0.8 and 1 in a temperature range of 0 to 60°C.

35. (Previously Presented): The film of Claim 31, wherein said film comprises plasticizers and polyvinylacetal resins.

36. – 40. (Cancelled)

41. (Previously Presented): A film useful as an intermediate layer in a soundproofing laminated window, said film having a loss factor  $\tan \delta$  greater than 0.6 and a shear modulus  $G'$  smaller than  $2 \times 10^7$  N/m<sup>2</sup> at a temperature of 20°C and at a frequency of 50 Hz.

42. (Previously Presented): The film of Claim 41, wherein said film is associated with at least one film of normal acoustic performance.

43. (Previously Presented): The film of Claim 42, wherein said film is a thermoplastic acrylic polymer film 0.05 to 1.0 mm thick, and wherein said film is joined to at

least one glass sheet with interposition of a polyester film 0.01 to 0.1 mm thick and a thermoplastic cement film 0.3 to 0.8 mm thick.

44. (Cancelled)

45. (Currently Amended) A laminated window comprising a glass sheet and ~~an~~ the film of Claim 41.

46. (Currently Amended) A laminated window comprising a glass sheet and ~~an~~ the film of Claim 42.

47. (Currently Amended) A laminated window comprising a glass sheet and ~~an~~ the film of Claim 43.

48. (Currently Amended) A laminated window comprising a glass sheet and ~~an~~ the film of Claim 41 [44], wherein said film comprises plasticizers and polyvinylacetal resins.